Refine Search

Search Results -


Term	Documents
WIDEBAND	28709
WIDEBANDS	13
TRAINING	99350
TRAININGS	257
FIELD	3496227
FIELDS	480034
(WIDEBAND NEAR TRAINING NEAR FIELD).PGPB,USPT.	_1
(WIDEBAND NEAR TRAINING NEAR FIELD).PGPB,USPT.	1

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database

Database:

US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:









Search History

DATE: Wednesday, May 23, 2007 Purge Queries Printable Copy Create Case

Set Name Query side by side		Hit Count Set Name result set	
DB=P	GPB,USPT; PLUR=YES; OP=ADJ		
<u>L40</u>	wideband near training near field	1	<u>L40</u>
<u>L39</u>	wideband and train\$ near field and wideband near header	. 1	<u>L39</u>
<u>L38</u>	wideband near header and identif\$ near sub\$	1	<u>L38</u>
<u>L37</u>	wideband near header and identif\$ near channel	4	<u>L37</u>
<u>L36</u>	wideband near compatib\$ near field	. 0	<u>L36</u>
<u>L35</u>	L34 and wideband	2	<u>L35</u>

Web <u>Images</u> <u>Video</u>	News Maps (<u>Gmail</u> mor	<u>e</u> ▼				Sign in
<u>Google</u>	"wide-band to	raining" "pa	ıcket"			dvanced Search references	
Web	~	Results '	l - 5 of 5 fo	or " <u>wide-ban</u>	d <u>training</u> " "	packet". (0.27	seconds)
Did you mean: <u>"wi</u>	i deband training	g" "packe	<u>t"</u>				
Methods for coord set of synchronized include a data packet www.patentstorm.us/p	wide band training request (DPR), a	n g signals d defined dat	over all the a packet i	e sub-channel request	·	,	
Method and appar a set of synchronize method of handling a www.freepatentsonline	ed wide band trair data packet reque	ning signalest will be de	s over all t escribed ir	he sub-chann ւ	<u>lti</u> ıels 23 7(a) a	·
[PDF] Order-Optima File Format: PDF/Adol wide-band training p but fixed for a very larg arxiv.org/pdf/cs/06040	be Acrobat - <u>View</u> ulses which are re- ge number of pack	as HTML ceived at a cet intervals	II of the. no				
System and metho packet data networ used to implement a n www.wikipatents.com/	ks such as the Fed arrow-to-wide bar	deral Expre	ss system scheme.	, a proce	lifier ss that may b	oe	
Methods for coord the remote unit may synchronized wide ba www.patentgenius.cor Cached - Similar page	v transmit a defined ind training signal m/patent/5644573.	d data pac l s over all th	cet reques ne sub-cha	t signal after . annels	a set of		
In order to show yo the 5 already displ If you like, you can	ayed.					tries very sim	nilar to
Did you mean to so	earch for: <u>"wide</u>	e band tra	ining" "p	acket"			
*.	Download <u>Go</u>	oogle Pack:	free esse	ntial software	for your PC		
	"wide-b	and trainin	g" "packet	" Se	arch .		!
Search	within results Lar	nguage Tod	ıls Searcl	n Tips Dissa	tisfied? Help	us improve	;

<u>L34</u>	long near compatib\$ near frame	3	<u>L34</u>
<u>L33</u>	wideband near header and spectrum near divi\$	1	<u>L33</u>
<u>L32</u>	L30 and header	4	<u>L32</u>
<u>L31</u>	L30 and wideband near header	1	<u>L31</u>
<u>L30</u>	L28 and train\$	7	<u>L30</u>
<u>L29</u>	L28 and training	. 2	<u>L29</u>
<u>L28</u>	L25 and allocat\$	19	<u>L28</u>
<u>L27</u>	L25 and assignm\$	20	<u>L27</u>
<u>L26</u>	L25 and spectrum	. 27	<u>L26</u>
<u>L25</u>	L22 and packet	35	<u>L25</u>
<u>L24</u>	L23 and packet	2	<u>L24</u>
<u>L23</u>	L22 and train\$ near field	2	<u>L23</u>
<u>L22</u>	compatib\$ near channel and wideband	74	<u>L22</u>
<u>L21</u>	L19 and modulat\$ near allocat\$	0	<u>L21</u>
<u>L20</u>	L19 and modulat\$ near assignment\$	1	<u>L20</u>
<u>L19</u>	wideband near header and wideband near data	4	<u>L19</u>
<u>L18</u>	L17 and modulat\$	3	<u>L18</u>
<u>L17</u>	compatibil\$ near field and wideband	3	<u>L17</u>
<u>L16</u>	wideband near train\$ near field	1	<u>L16</u>
<u>L15</u>	wideband near training near field	1	<u>L15</u>
<u>L14</u>	L13 and wideband near field	1	<u>L14</u>
<u>L13</u>	symbol near modulat\$ near subcarrier and wideband	32	<u>L13</u>
<u>L12</u>	L11	1	<u>L12</u>
<u>L11</u>	L8 and sub-channel	1	<u>L11</u>
<u>L10</u>	L8 and subchannel	0	<u>L10</u>
<u>L9</u>	L8 and subcarrier	1	<u>L9</u>
<u>L8</u>	L6 and modulat\$	5	<u>L8</u>
<u>L7</u>	L6 and symbol and modulation	1	<u>L7</u>
<u>L6</u>	wideband near header and wideband near channel	5	<u>L6</u>
<u>L5</u>	wideband near header and symbol near modulat\$ near subcarrier	1	<u>L5</u>
<u>L4</u>	L3 and wideband near channel	39	<u>L4</u>
<u>L3</u>	wideband and subcarrier near modulat\$	418	<u>L3</u>
<u>L2</u>	L1 and SSID\$	3	<u>L2</u>
<u>L1</u>	wideband and ad-hoc and IBSS	27	<u>L1</u>

END OF SEARCH HISTORY